



# Soft

Design: Åsmund Engesland



Soft is a series of storage furniture based on the same trunk with rounded and soft details. The furniture rests on a simple frame of logs, and in this way they are lifted solid stems from the substrate. It gives the Soft series an airy and steady look. The furniture gets a solid and refined feel that makes it adaptable in a number of different environments. Soft consist of buffet, sideboards, drawer and night stands.



Ecolabelled



Durability



Demountable



Svensk Möbelfakta: 0320240321



grøntpunkt.no

240075

## Selection

---

- 4420 Buffet, 180x98x45 cm, two doors bottom and two glas doors top, birch HPL, classic handles silver  
 4421 Buffet, 180x98x45 cm, two doors bottom and two doors top, birch HPL, classic handles silver  
 1964 Sideboard, 84x98x45 cm, open, birch HPL  
 4422 Sideboard, 84x98x45 cm, two doors, birch HPL, classic handles silver  
 4423 Sideboard, 84x145x45 cm, two doors and three drawers, birch HPL, classic handles silver  
 4424 Drawer, 84x98x45 cm, with three drawers, birch HPL, classic handles silver  
 3376 Bedside table, 70x40x40 cm, one drawer on top, birch HPL, round handles  
 4426 Bedside table, 70x40x40 cm, one drawer on top, birch HPL, classic handles silver  
 4427 Bedside table, 70x40x40 cm, two drawers at bottom, birch HPL, classic handles silver  
 4428 Bedside table, 70x40x40 cm, three drawers, birch HPL, classic handles silver

## Acessories

---

- 1950 Addition for flap on bedside table, birch HPL  
 4604 Addition for staining (oak, white and black) for chasis per unit  
 1887 Light for upper cabinet with glass doors  
 4605 Lock on solid door  
 4606 Lock on glas door  
 4607 Wheels on night stand base

## Construction

---

Cabinets in MDF with HPL surface.  
 Standard wood: Birch and oak.

## Legs

---

Chassis in solid wood.  
 Hard plastic pads.

## Mounting

---

Chassis must be mounted on the cabinets.

## Recycling

---

All steel parts are recyclable. During surface treatment, degreasing with alkaline washing takes place. After separation, the oil goes for destruction. Varnishing is done electrostatically with epoxy powder that gives minimal pollution. The plastic parts used are recyclable. All padding and frames are made of foam completely without freons. Only water-based and solvent free adhesives and hot melt adhesives are used.

**VAD AS**

Sandvikgata 14  
6250 Stordal  
Norway

[www.vad.no](http://www.vad.no)  
[info@vad.no](mailto:info@vad.no)  
+47 975 44 020

