

Alma

Design: JOOY

VAD[®]
CHAIRS



Alma is an elegant and comfortable chair, well suited for canteen, conference, visitor area or in other locations. With its calm impression, its soft lines and an inviting shape, Alma is a harmonious piece of furniture. Gap between seat and back makes cleaning easy, with seat cover easily removed for washing. Available with incontinence sheet.



Ecolabelled



Durability



Climate Acc.



Demountable



Svensk Möbelfakta: 0320230927



NEPD-5015-4363



240075

Selection

3893	Chair with armrest, birch legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
3894	Chair with armrest and removeable seat cover, birch legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
3895	Chair with armrest, removeable seat cover and incontinence sheet, bir	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
3789	Chair with armrest, oak legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
3790	Chair with armrest and removeable seat cover, oak legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
3791	Chair with armrest, removeable seat cover and incontinence sheet, oa	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4651	Chair with armrest, black steel base	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4652	Chair with armrest and removeable seat cover, black steel base	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4653	Chair with armrest, removeable seat cover and incontinence sheet, bla	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4654	Chair with armrest, black steel base with wheels	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4655	Chair with armrest and removeable seat cover, black steel base with w	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4656	Chair with armrest, removeable seat cover and incontinence sheet, bla	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4726	Chair with armrest, black steel tube legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4727	Chair with armrest and removeable seat cover, black steel tube legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4728	Chair with armrest, removeable seat cover and incontinence sheet, bla	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4729	Chair with armrest, black steel bolt legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4730	Chair with armrest and removeable seat cover, black steel bolt legs	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm
4731	Chair with armrest, removeable seat cover and incontinence sheet, bla	W: 58 cm	H: 79 cm	D: 58 cm	SH: cm

Options

- 3897 Addition for staining (standard color) per unit
- 4732 Addition for powder paint (standard RAL) per unit

Acessories

- 3896 Extra removable seat cover
- 4715 Armrest protection in black PU (per chair)
- 4716 Armrest protection in brown PU (per chair)

Construction

Base in solid wood or steel
Seat from plywood and back from molded veneer, with cut cold cured foam.
Standard wood: Birch and oak.

Seating Height

Seating Height 46 cm, with Seating Depth of 47 cm.

Legs

Hard plastic pads.

Upholstery

Price Group A: Autumn, Cura, Guest, Lido, Medley, Parcel Loop, Renewed Loop, Silvertex, Valencia, m.fl.

Price Group B: Amaze Loop, Bond, Cyber, Focus, Go, Grain, Relate, Step, Wooly, m.fl.

Price Group C: Acton, Ambla, Blues, Capture, Focus Royal, Jazz, Lillehammer, Margrethe, m.fl.

Price Group D: Bardal, Breeze Fusion, Crisp, Heidal, Illusion, Passion, Puxx, Remix 3, Select, m.fl.

Price Group E: Barnum, Canvas, Lambada, PUxx, Re-wool 2, Redal, Steelcut, Synergy, m.fl.

Price Group F: Auckland, Foster, Hallingdal, Heddal Stitched, Hemsedal, Ponza, m.fl.

Use highest price group if more than one type of fabric.

When providing own fabric, use Price Group A prices.

Addition for matching pattern, price depending on fabric. Expect longer delivery time.

Mounting

Fully assembled with up to two chairs in each box.

Recycling

All steel parts are recyclable. During surface treatment, degreasing with alkaline washing takes place. After separation, the oil goes for destruction. Varnishing is done electrostatically with epoxy powder that gives minimal pollution. The plastic parts used are recyclable. All padding and frames are made of foam completely without freons. Only water-based and solvent free adhesives and hot melt adhesives are used.

**VAD AS**

Sandvikgata 14
6250 Stordal
Norway

www.vad.no
info@vad.no
+47 975 44 020

